Amos Shaeffer Farm Westminster (vicinity)

c. 1858, c. 1875

Summary:

John K. Longwell sold 17 acres to John Yingling on 24 April 1858 for \$700 and two days later Yingling sold the land to Amos Shaeffer for \$1,000. It seems unlikely that the land was improved until acquired by Shaeffer. Shaeffer's parcel held a log house and log barn by 1866. No livestock or furniture was listed with the land and buildings in 1866. In 1875, however, the tax assessments do record livestock, furniture, and "Adl improvements 400." These improvements are most likely casing the log house in brick and adding the brick rear wing. In the process, the log building was altered from a three bay, center entrance plan to a side passage plan, and the centered windows on the southwest elevation were closed off, with the windows moved to the west. Amos Shaeffer died in 1891 and left his 30-acre home farm to John D. Schaeffer. John D. Schaeffer defaulted on a mortgage and the farm was ordered sold by the Equity Court in 1903. In 1915 it was purchased by Daniel Hunter, and remained in the Hunter family until 1961. The house is a late example of a brick-cased log structure, in relatively good condition, and is slated for rehabilitation. The outbuildings are all in the process of demolition.

Maryland Historical Trust State Historic Sites Inventory Form

MARYLAND INVENTORY OF HISTORIC PROPERTIES

Survey No. CARR-713
Magi No.

DOE _yes _no

1. Nam	e (indicate p	referred name)		
historic P	amos Shaeffer Farm			
and/or common		•		
2. Loca	ation			
street & number	222 Cranberry Ro	oad		not for publication
city, town We	estminster	_X_ vicinity of	congressional district	
state Mar	ryland	county	Carroll	
3. Clas	sification			
Category district building(s) structure site object	Ownership public private both Public Acquisition in process being considered X not applicable	Status occupiedX unoccupied work in progress AccessibleX yes: restricted yes: unrestricted no	Present Use agriculture commercial educational entertainment government industrial military	museum park X private residence religious scientific transportation other:
4. Own	er of Prope	erty (give names a	and mailing addresses	s of <u>all</u> owners)
name Crank	erry Equities Limi	ted Partnership/Joh	n J. Schuster, Jr.	
street & number	lll Westminster F	Road	telephone no	.: 833-5484
city, town Re	eisterstown	state	and zip code MD 2]	.136
5. Loca	ation of Leg	jal Descripti	on	
courthouse, regi	stry of deeds, etc. Cour	rthouse Annex		liber LWS 1435
street & number	55 N. Court Stre	eet		folio 744
city, town We	estminster		state ^M	Maryland
6. Rep	resentation	in Existing	Historical Surv	eys
title Field S	Sheet - Historic Re	esources Survey - CA	RR - 713	
date 8-83			federal state	e <u>X</u> county <u> loca</u>
pository for su	urvey records MHT			
city, town Cro	ownsville		state	MD

•				:	
Condition		Check one	Check one		
excellent	deteriorated	unaltered	_X original site		
X good	ruins	_X_ altered	moved date of mo	ove	
fair	unavnoead				

Survey No. CARR-713

Prepare both a summary paragraph and a general description of the resource and its various elements as it exists today.

Summary:

Description

The Amos Shaeffer farm is located at 222 Cranberry Road, in the small settlement of Cranberry. The house sits on a virtually flat lot on the northwest side of the road and faces southeast towards the road. The house is a two-story, three-bay-by-one-bay brick structure with a rubble stone foundation and a gable roof of standing-seam metal. There is a two-story ell on the northwest elevation that is three bays by one bay. The gable roof of the ell has standing-seam metal. On the southeast elevation, the first story has a door in the south bay with one light over bolection-moulded panels. There are also six-over-six double-hung sash. The southeast elevation has all-stretcher bond brick. The building was cased in brick. There is a one-story, three-bay, shed-roof porch. The ell has five-to-one common bond brick. The first story has a side-passage, single-pile plan with two rooms in the ell. The passage, which runs along the southwest side of the house, has an enclosed stair on the southwest wall. The northeast elevation has a wide opening that leads to the southeast room. The southeast room has a fireplace centered on the northeast elevation. It has a wood mantel with pilaster strips that have a cushioned baluster profile. The mantel has a tudor arch. The second story has a side-passage, double-pile plan with the same baseboards and architraves found on the first story. About 75 feet west of the house is a poultry house that faces southeast. The building is constructed of circular-sawn two-by-fours. There is a summer kitchen set about 20 feet southwest of the house. It has a rubble stone foundation, German siding, and a gable roof. The building is of two-by-four construction. About four feet southwest of the house is a spring house with a concrete foundation, vertical board walls, and a gable roof. There is a shed-roof addition on the northeast. The building is also constructed of two-by-fours. There is a windmill about 10 feet southeast of the springhouse.

Contributing Resources: 5

The Amos Shaeffer farm is located at 222 Cranberry Road, in the small settlement of Cranberry. The house sits on a virtually flat lot on the northwest side of the road and faces southeast towards the road. It is located approximately ¾ mile northeast of Westminster in central Carroll County Maryland. The house is a two-story, three-bay-by-one-bay brick structure with a rubble stone foundation and a gable roof of standing-seam metal with a northeast-to-southwest ridge. There is a two-story ell on the northwest elevation that is three bays by one bay. The gable roof of the ell has standing-seam metal and a northwest-to-southeast running ridge.

On the southeast elevation, the first story has a door in the south bay with one light over bolection-moulded panels. The door has a wood sill and a splayed brick jack arch.

Survey No. CARR-713

Description (continued)

Section 7 Page 2

There are also two six-over-six double-hung sash with wood sills, bull-nose frames, and splayed brick jack arches. They have blinds that are louvered on the bottom and panelled on the top. The southeast elevation has all-stretcher bond brick. Beneath the center bay are two short courses of headers that are only the width of the window, suggesting that the door was originally here and that this opening was infilled and converted to a window when the building was cased in brick.

There is a one story, three bay, shed-roof porch with standing-seam metal and a new concrete deck and new metal posts. A portion of the original porch balustrade may be inside of the poultry house. This balustrade has a horizontal board bottom rail, and square-in-plan balusters that are mortised into the rail and wire nailed. The second story has three six-over-six sash with blinds and straight brick jack arches. There is a wood box cornice with returns and with a narrow fascia board beneath it.

The southwest elevation of the main block has a projecting water table. This elevation has all-stretcher bond brick with three courses of headers centered on both the first and second stories, suggesting that there were once windows at both of these locations before the house was cased in brick. The first story now has a typical six-over-six sash with blinds near the northwest corner. The second story has an identical treatment. The gable end has a jalousie window in an original opening with a straight brick jack arch.

The southwest elevation of the ell has one brick bay to the west and it has a typical six-over-six sash on both the first and second stories. It is of five-to-one common bond brick. Between this bay and the main block of the house is a recessed porch that has now been enclosed on the first story with German siding, eight six-light sash, and a four-panel door that has sunk fields and no panel moulds. The original first story southwest wall has from west to south a typical six-over-six sash, a four-panel door with sunk fields and no panel moulds, an identical four-panel and a typical six-over-six sash. The northwest wall of the main block has an identical four-panel door. The second story of the porch has a horizontal board rail on the bottom with square-in-plan vertical balusters and square posts. The recessed wall has a center door flanked by one six-over-six on each side. They have bull-nosed frames and blinds. This wall is of German siding and not brick.

The northwest elevation of the ell has a parged foundation. There is one six-over-six sash set north of center. It has a bull-nosed frame and a splayed brick jack arch. The first story has a typical six-over-six sash set north of center. The second story is identical to the first and has blinds. The gable end has a jalousie with a wood sill and a straight brick jack arch. There is a tapered rake board at the eave. This elevation has five-to-one common bond brick.

Survey No. CARR-713

Description (continued)

Section 7 Page 3

The northeast elevation of the ell is three bays. The foundation has a six-over-three sash with a bull-nose frame and a splayed brick jack arch in the center bay. The north bay has an altered door with six panels and a wood lintel with a narrow, straight brick jack arch above it. The first story is primarily five-to-one common bond brick with some four-to-one and some six-to-one. It has tie rods with s-shaped ends. The first and second stories have a typical six-over-six sash in both end bays. There is a wood boxed cornice with no returns on the northwest. There is an interior brick chimney centered on the ridge in the center of the ell and an interior brick chimney centered on the northeast ridge of the main block.

On the northeast elevation of the main block, the foundation has an opening with a new vent set at the northwest edge of the main block. It has a splayed brick jack arch. The first and second stories both have a typical six-over-six sash set at the northwest edge. The gable end has a jalousie window set northwest of center. It has a wood sill and a straight brick jack arch. This elevation is of all-stretcher bond. It is not possible to tell if there are headers where windows used to be because the wall is covered with ivy.

The cellar under the main block has a dirt floor and whitewashed walls. The joists are hewn on top and bottom and run southeast to northwest. They are six and a quarter to seven inches deep by eight and a half to eleven inches wide. They are spaced to 27½ to 33 inches on center. They rest on an approximately one inch thick board set on top of the foundation wall. There is a stone chimney pier centered on the northeast elevation and a sixlight sash set to the northwest. The hearth support has been altered. There are small opening on the southeast elevation both to the east and to the south. The cellar under the ell also has a dirt floor and whitewashed walls. The joists are three-quarter-round logs that run northeast to southwest. They rest on an approximately one-inch-thick board set on the wall and they are not tied in any way to the brick. The joists are seven to nine inches deep by seven to ten and a half inches wide and are spaced 22 to 28 inches on centers. The floor above is mill sawn. There are two brick piers set in the center of the cellar to support a fireplace and chimney above. The piers have a wood lintel that is sawn but no marks are visible because of thick whitewash. The piers have corbelled bricks to support shelving boards. There is a hearth on the northwest side of this pier. The tongue-and-groove boards are supported by the masonry stack at one end and by a nailer fastened to the nearest joists with cut nails at the other end.

The first story has a side-passage, single-pile plan with two rooms in the ell. The passage, which runs along the southwest side of the house, has only one floor board exposed. It is seven inches wide and tongue-and-grooved, and appears to be of random width. There is a plain baseboard and a broken field architrave. There is an enclosed stair on the southwest wall and a closed-off doorway on the northwest elevation. The northeast elevation has a wide opening that leads to the southeast room.

Description (continued)

Section 7 Page 4

The southeast room has a fireplace centered on the northeast elevation. It has a wood mantel with pilaster strips that have a cushioned baluster profile. The mantel has a tudor arch and a beaded interior edge. The architrave and baseboard in this room are identical to the passage. On each side of the fireplace, set above the mantel shelf height, is a small cupboard that has a board door on cast iron butt hinges. The northwest elevation has a door to the center room.

The center room has three- to five-inch-wide pine flooring that runs northwest to southeast. The baseboards and architraves match those in the passage. Centered on the northwest wall is a plain wood mantel with no fireplace. There is a swinging four-panel door set to the west of the fireplace that leads to the northwest room. The door has sunk fields with no panel moulds.

The northwest room has beaded-edge-and-center vertical-board wainscot under a moulded chair rail. There is a fireplace centered on the southeast wall that has a plain wood not accessible for inspection. There is a winder stair in the east corner with a closet beneath it that has a beaded-edge vertical-board door. At the southwest corner of this room is a pantry.

The second story has a side-passage, double-pile-plan with the same baseboards and architraves found on the first story. The front of the passage has a closet. The addition has a side passage that has been added along the southeast elevation. The doorways along this passage have plain architraves. The four-panel doors have cast iron rim locks that are marked with "R&E Mfg. Co. Pat May 29 1866". There are two rooms in the addition with a winder stair to the attic in the east corner of the northwest chamber. These stairs have a beaded-edge vertical-board door.

In the main block attic, the rafters are mill sawn and are two inches wide by three inches deep. They are spaced two feet on centers. The rafters were originally set with a lower pitch, had a ridge pole, and were fastened to it with cut nails. The rafters were taken apart and boards were fished onto the sides of them to lengthen them by about nine and a half inches. The rafters originally had lath wind braces. The rafters were not reused in the same order that they were originally laid. The rafter feet are cut off flush and nailed to the end floor board. They are set over the joists. There is a narrow board set between the outer floor board that the rafter feet now rest on and the next floor board in. This board was probably the original false plate. The rafter feet were probably just pushed out to widen the span. These rafters support lath and wood shingles. The rafters in the addition are mill sawn and are three inches wide by four inches deep. They are spaced 25 to 26 inches on centers and are mitered at the ridge with a ridge pole. The rafter feet have a notch cut out

Survey No. CARR-713

Description (continued)

Section 7 Page 5

of the bottom of them to lap over a narrow false plate. They support lath and wood shingles. The flooring is not tongue-and-grooved and is fastened with cut nails.

About 75 feet west of the house is a poultry house that faces southeast. It is covered with tar paper and has a shed roof of corrugated metal that slopes to the northwest. The southeast elevation has a beaded-edge-and-center vertical-board door on each end and two openings in the middle. These are each now covered by two two-light sash with one two-light sash set above them. The northeast elevation has no openings. The northwest elevation has a centered door made of German siding. The southwest elevation has two two-light sash. The building is constructed of circular-sawn two-by-fours and has three and a quarter inch wide tongue-and-grooved floor that runs northwest to southeast. There was apparently a similar such structure set about 20 feet to the northeast of this one, but it was demolished the day before the field work was done.

There is a summer kitchen set about 20 feet southwest of the house. It has a rubble stone foundation, German siding, and a gable roof with standing-seam metal and a northeast-to-southwest ridge. The southeast elevation has a six-over-six sash in the south bay, a beaded-edge-and-center vertical-board door in the south-center bay, and two six-over-six sash to the east. The southwest elevation has vertical-board siding. The northwest elevation also has vertical-board siding and has a beaded-edge-and-center vertical-board door set southwest of center. The northeast elevation has German siding and a beaded-edge-and-center vertical-board door to the southeast with a six-over-six sash set to the northwest. There is a later exterior brick chimney on the northwest elevation, set to the northeast. The interior is divided by a horizontal board wall set just northeast of the door on the southeast elevation. This wall has a vertical-board dutch door. The northeast end of the building has a random-width floor that runs northeast to southwest. The southwest end has a dirt floor. There are two-by-four circular sawn rafters that are mitered at the ridge and there are tongue-and-grooved floor boards that are used as lath. The wood shingle roof has been covered by the existing metal roof. The building is of two-by-four construction with four-by-four circular sawn sills.

About four feet southwest of the house is a spring house with a concrete foundation, vertical board walls, and a gable roof with corrugated metal and a ridge that runs northeast to southwest. There is a shed-roof addition on the northeast with the same materials as of the rest of the building. The southwest elevation has a door of the same material used in the siding. The southeast and northwest elevations each have two four-light sash. The building is constructed of two-by-fours that are circular sawn. It has a concrete floor and a concrete tub on the northeast end with a hinged door on top of it. The ceiling has beaded-edge-and-center boards. There is a windmill about 10 feet southeast of the springhouse, and there was

Survey No. CARR-713

Description (continued)

Section 7 Page 6

apparently a smokehouse to the northwest of the springhouse. It was demolished the day before field work began. All that survived was a hip roof with standing seam metal.

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 1800–1899 1900–	archeology-historic _X_ agriculture _X_ architecture art		literature military music t philosophy politics/government	science sculpture social/ humanitarian
Specific dates	c. 1858, c. 1875	Builder/Architect		
a Appl	icable Criteria:A nd/or icable Exception:A 1 of Significance:			

CARR-713

Survey No.

Prepare both a summary paragraph of significance and a general statement of history and support.

Summary:

Significance

John K. Longwell sold 17 acres to John Yingling on 24 April 1858 for \$700 and two days later Yingling sold the land to Amos Shaeffer for \$1,000. It seems unlikely that the land was improved until acquired by Shaeffer. Shaeffer's parcel held a log house and log barn by 1866. No livestock or furniture was listed with the land and buildings in 1866. In 1875, however, the tax assessments do record livestock, furniture, and "Adl improvements 400." These improvements are most likely casing the log house in brick and adding the brick rear wing. In the process, the log building was altered from a three bay, center entrance plan to a side passage plan, and the centered windows on the southwest elevation were closed off, with the windows moved to the west. Amos Shaeffer died in 1891 and left his 30-acre home farm to John D. Schaeffer. John D. Schaeffer defaulted on a mortgage and the farm was ordered sold by the Equity Court in 1903. In 1915 it was purchased by Daniel Hunter, and remained in the Hunter family until 1961. The house is a late example of a brick-cased log structure, in relatively good condition, and is slated for rehabilitation. The outbuildings are all in the process of demolition.

Geographic Organization: Piedmont

Chronological/Development Period: Agricultural-Industrial Transition A.D. 1815-1870;

Industrial/Urban Dominance A.D. 1870-1930 Historic Period Themes: Agriculture, Architecture Resource Types: Small family farm, Rural vernacular

The early history of the Amos Shaeffer Farm is virtually impossible to ferret out. The land was owned by John K. Longwell, who was born in Gettysburg in 1810, moved to Taneytown in 1832, and a year later came to Westminster, where he established the Carrolltonian and lobbied for the establishment of a new county, with Westminster as its seat. Longwell became a prominent politician and in 1842 built his residence, "Emerald Hill", overlooking Westminster. Just when Longwell bought the land that would become the Shaeffer farm has not been determined, since no deed could be located back to 1815, and the

Significance (continued)

Section 8 Page 2

tax books for 1841 record that he only owned 4 acres. By 1852 he owned 58 acres, but no buildings were listed even though some existed.

Longwell sold 17 acres to John Yingling on 24 April 1858 for \$700 and two days later Yingling sold the land to Amos Shaeffer for \$1,000. It seems unlikely that the land was improved until acquired by Shaeffer, and one is tempted to suggest that Yingling may have constructed the buildings, which would explain his involvement with the deeds, and his apparent profit of \$300. In any case, Shaeffer's parcel held a log house and log barn by 1866. A 17-acre tract was hardly sufficient for farming, so Shaeffer must have had a trade that brought additional income, but it is not known what that might have been. No livestock or furniture was listed with the land and buildings in 1866. In 1875, however, the tax assessments do record livestock, furniture, and "Adl improvements 400." These improvements were most likely casing the log house in brick and adding the brick rear wing. In the process, the log building was altered from a three bay, center entrance plan to a side passage plan, and the centered windows on the southwest elevation were closed off, with the windows moved to the west. The mantel in the southeast first-story room was probably added at this time.

According to the 1876 tax book, Shaeffer had expanded his lot to 30 acres, but the deed for the additional land was not executed until 1883. He also had a 25¾-acre tract with improvements worth \$150. His livestock worth \$353 and farm implements worth \$125 suggest that he was an average farmer, though the amount of land he owned was still below average. Shaeffer got rid of his livestock in 1880, probably selling or giving it to his son, John D. Shaeffer. A new barn was added in 1888. Amos Shaeffer died in 1891 and left his 30-acre home farm to John D. Schaeffer after the death of his widow, Mary. The inventory of his estate is partly recorded room by room, and includes:

Furniture in Dining Room	
Cupboard	5.00
Leaf Table	3.00
Desk with Drawers	5.00
3 Split-Bottom chairs	.75
1 do chair	.25
Old Silver plated Castor	.50
set of Knives & forks	.50
½ Dining Plates	.25
Large Meat Plate	.10
2 Vegetable Dishes	.20
Set of Old Cups and Saucers & Cream Mug	.25
Melodian (in Parlor)	15.00

Significance (continued)

Section 8 Page 3

Large Hair-seated sofa	10.00
Small do	4.00
6 Cain seated chairs	3.00
1 do Rocking Chair	2.50
Round Lamstand	1.00
Parlor Woodstove and pipe	2.00
Gilt framed Looking-glass	2.00
Parlor Carpet and Rug	3.00
2 Venetian Window Blinds	2.00
1 Parlor Lamp	2.00
Carpet in Bed chamber front Room 2nd floor	4.50
do / do 2nd Room	4.50
1 Bureau in 3rd Bed chamber	6.00
Old Stove and pipe in do	1.00
Bedstead and Bedding "	10.00

John D. Schaeffer defaulted on a mortgage and the farm was ordered sold by the Equity Court in 1903. The advertisement described it as having ". . . a Large and Comfortable Two Story BRICK DWELLING HOUSE, Large Barn, two large Wagon sheds, smokehouse, hennery and other necessary outbuildings." Though only 29 acres, it had a large orchard and meadow land, though no mention of timber. Shaeffer was still living on the farm. John N. Kroh bought the farm and added 7½ acres in 1911 before selling it three years later. In 1915 it was purchased by Daniel Hunter, and remained in the Hunter family until 1961. The house is a late example of a brick-cased log structure, in relatively good condition, and is slated for rehabilitation. The outbuildings are all in the process of demolition.

KS/lc:4-17-95:Carr713.sig

Major Bibliographical References Survey No. CARR-713 land records Democratic Advocate, 7 Nov. 1903, p.2, c.6 tax assessments, 1841, 1852, 1866, 1866-76, 1876, 1876-96, 1896-1910 Weeks, The Building of Westminster, pp 41-3 1862, 1877, 1917 maps Chancery JHB55-261 Amos Shaeffer Will, GMP6-482: inventory, GMP14-554 **Geographical Data** 10. Acreage of nominated property 6.79 ac Quadrangle name Westminster Quadrangle scale 1:24000 **UTM References** do NOT complete UTM references Zone Easting Northing Zone Verbal boundary description and justification List all states and counties for properties overlapping state or county boundaries state code county code state code county code Form Prepared By name/title organization date street & number telephone city or town state The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 supplement. The survey and inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights. return to: Maryland Historical Trust Shaw House MARYLAND HISTORICAL TRUST 21 State Circle DHCP/DHCD Annapolis, Maryland 21401

(301) 269 - 2438

PS-2746

100 COMMUNITY PLACE

CROWNSVILLE, MD 21032-2023 -514-7400

CARR-713 Amos Shaeffer Farm 222 Cranberry Road

CHAIN OF TITLE

GRANTOR	HOME COUNTY	GRANTEE	HOME COUNTY	DATE	LIBER	FOLIO	TRANS- ACTION	COMMENTS
Gerald D. Bitzel, personal rep. of Mildred A. Bitzel	?	Cranberry Equities Limited Partnership	MD	2-23-1993	LWS 1435	744	Deed fee simple	\$250,000 Mildred dec.: 10-9-91, Martin dec. 1-20-87
A. Earl Shipley, trustee	Carroll	Mildred A. & Martin W. Bitzel (wife)	Carroll	4-30-1963	CCC 372	485	Deed fee simple	\$5.00, 6.79 acres, Cranberry Station
Mildred A. & Martin W. Bitzel (husband)	Carroll	A. Earl Shipley, trustee	Carroll	4-30-1963	CCC 372	483	Deed fee simple	\$5.00, 6.79 acres, Lillie dec. 3-19-64
Lillie May Hunter, widow	Carroll	Mildred A. Bitzel		11-18-1961	339	556	Deed fee simple	\$1.00, life interest in property retained, 6.79 acres
Horace A. & Josephine R. McDaniel (wife)	Carroll	Daniel J. and Lillie May Hunter (wife)	Carroll	5-13-1915	ODG 127	118	Deed fee simple	grantees assume mortgage lien and judgement lien held by Union Bridge Banking & Trust Co., \$4,200 and pay \$700, 37 + acres
John N. & Mary J. Kroh (wife)	Carroll	Horace A. & Josephine R. McDaniel (wife)		3-12-1914	ODG 124	49	Deed fee simple	\$5,250 (1) 17 acres (2) 12 acres (3) 7½ acres

CARR-713 Amos Shaeffer Farm 222 Cranberry Road

CHAIN OF TITLE

GRANTOR	HOME COUNTY	GRANTEE	HOME COUNTY	DATE	LIBER	FOLIO	TRANS- ACTION	COMMENTS
Elias O. Grimes & Helen V. (wife) William B. Thomas & Rebecca F. (wife)	Carroll	John N. Kroh	Carroll	7-14-1906	DPS 104	337	Deed fee simple	\$3,125 on Manchester Road near Westminster (1) 17 acres (2) 12 acres (1) & (2)
William B. Thomas & Rebecca F. (wife)	Carroll	John N. Kroh	? ·	8-14-1911	ODG 117	514	Deed fee simple	\$1,000, 7½ acres, part of Rochester part of 61% acres (3)
Joseph E. Hunter		William B. Thomas		5-31-1905	DPS 102	419		(3)
Joshua W. Hering, attorney for Sallie Longwell		Joseph E. Hunter		5-13-1905	DPS 101	446		(3)
John Fisher and Jacob Reese, trustees		John K. Longwell		12-23-1854	JBB 18	150		(3)
E. Oliver Grimes, Jr., trustee	Westminster	Elias O. Grimes William B. Thomas	?	1-5-1904	JHB 98	483	Deed fee simple	public sale, 11- 23-1903, default on mortgage \$3,000, Equity Court #4092 (1) 17 acres (2) (1) & (2)
Amos Schaeffer	Carroll	John D. Schaeffer	?	1-15-1886 3-2-1891	<u>wills</u> GMP 6	482	Bequest	Home Farm 30 acres, after death of widow, Mary, \$500 (1) & (2)

CARR-713 Amos Shaeffer Farm 222 Cranberry Road

CHAIN OF TITLE

GRANTOR	HOME COUNTY	GRANTEE	HOME COUNTY	DATE	LIBER	FOLIO	TRANS- ACTION	COMMENTS
John K. Longwell & Sarah Mck (wife)	Carroll	Amos Schaeffer	Carroll	2-17-1883	FTS 58	268	Deed fee simple	\$766.50, 12 acres part of Rochester [no previous reference] (2)
John Yingling & Rachel (wife)	Carroll	Amos Schaeffer	?	4-26-1858	GEW 23	441	Deed fee	\$1,000, 17 acres part of Rochester (a) 70 acres (b) 10 acres [no previous reference] (1)
John K. Longwell & Sarah Mck (wife)	Carroll	John Yingling	?	4-24-1858	GEW 23	445	Deed	\$700, 17 acres, part of Rochester (1) 7 acres (2) 10 acres [no previous reference] (1)

KS/le:5-4-95:Cranttl

<u>CARR - 713</u>

222 CRANBERRY ROAD

mid-19th century

Westminster vicinity

private

222 Cranberry Road is an excellent example of a mid-nineteenth century brick farmhouse. The house is built in the regional style with its L-shaped plan, two story height, three-by-one bay facades, and double-tiered porch on the ell. The windows are six-over-six sash with louvred shutters. The brick is laid in stretcher bond with flat-arch lintels over the doors and windows. This house has a side entrance plan instead of the frequently found central entrance. There is a full-length, one-story front porch.



OWNER:

DEPARTMENT OF PLANNING AND DEVELO

WESTMINSTER PLANNING DISTRIC

	SUFVEY NUMBER: CARR-713
DEPARTMENT OF PLANNING AND DEVELOPMENT	NEGATIVE FILE NUMBER:
225. N. Center Street	UTM REFERENCES:
Westminster, Maryland 21157	Zone/Easting/Northing
WESTMINSTER PLANNING DISTRICT	Zone/ Easting/ Northing
FIELD SHEETHISTORIC RESOURCES SURVEY	U.S.G.S. QUAD. MAP: Westminster
	PRESENT FORMAL NAME:
OUNTY: CARROLL WN: Westmosta Junity	ORIGINAL FORMAL NAME:
CATION: 222 Cranberry Road	PRESENT USE: residue
20 - Cranderly Road	ORIGINAL USE: residence
X MAP 39 Block 20-21 P-238	ARCHITECT/ENGINEER:
	(6)(1) (6) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1
MMON NAME:	BUILDER/CONTRACTOR:
NCTIONAL TYPE: residura	
NER: Martin W. Bitzel	PHYSICAL CONDITION OF STRUCTURE:
DRESS: 222 Cranbary Rd.	Excellent () Good ()
Westnista, MD 21157	Fair () Poor ()
CESSIBILITY TO PUBLIC:	THEME:
s () No (X) Restricted ()	
VEL OF SIGNIFICANCE:	DATE BUTTON
cal () State () National ()	DATE BUILT: mid-19t century
NERAL DESCRIPTION:	
tructural System	
1. Foundation: Stone (X) Brick () Concrete 2. Wall Structure	() Concrete Block ()
A. Wood: Log () Post and Beam () Ballo	on ()
B. Wood Bearing Masonry: Brick () Stone C. Iron () D. Steel () E. Other	() Concrete () Concrete Block ()
3. Wall Covering: Weatherboard () German Side	ing () Pound and Dather ()
Wood Shingle () Shinler (Novelton () Street ()
Wood Shingle () Shiplap (Novelty () Stucco () Sheet Metal ()
Bonding Pattern: Stretcher	e () Brick Veneer () Stone Veneer ()
4. Roof Structure	Other:
A. Truss: Wood (X) Iron () Steel () Co B. Other:	oncrete ()
5. Roof Covering: Slate () Wood Shingle ()	Apphalt Chinala () Chart M . 1 A &
Built Up () Rolled () Ti	le () Other:
6. Engineering Structure:	ie () Utilei .
7. Other:	
opendages: Porches (X) Towers () Cupolas ()	Dormers () Chimneys () Sheds ()
Ells (X) Wings () Other:	
oof Style: Gable (X) Hip () Shed () Flat ()) Mansard () Gambrel () Jerkinhead ()
Saw Tooth () With Monitor () With	Bellcast () With Parapet ()
With False Front () Other:	
umber of Stories: 3 2 umber of Bays: 3 x 1	7
pproximate Dimensions:	Entrance Location: Side
Promine Dimensionals.	
REAT TO STRUCTURE:	LOCAL ATTITUDES:
Threat () Zoning () Roads ()	Positive () Negative ()
evelopment () Deterioration ()	Mixed () Other:
lteration () Other:	

IMREAT TO STRUCTURE: No Threat () Zoning () Roads Development () Deterioration (Alteration () Other:	()

ORGANIZATION:

DATE RECORDED:

8/83


Moderately Built Up () Densely-Built Up ()


Residential () Commercial ()


Agricultural () Industrial ()
Roadside Strip Development ()


Other:


CRupp Jas Sharer John Abbatt Geo Stekens F Gumpet Had Disotter & Shratter In Traphet As Share Himmeran In Ruby 5 Shorter \ Jac Shoter Snirt San M San'Zop Mrs Suphers 1 Mrs Wink Geo Sharkes . Reese. Reese P. Leigher | - Exeller Shoot No Dager · Reese Blacks I market H Weakley · Shoeth belief Shouth Nathorto AGiber Jas Bliscard | Ed Ly Sam' Null EForder DE Fonder S. R. = Sam Gist B Davis Mes Hunter SAN Foute Goodwin Dunt Goodwin SAN No. Good Shang JW Hook .DZInkhorn e Ino Rinehast Jacob Halmes Unichert PEPIater . HCoples & P. Flotter ch H Hoo Store JW 22 M Stone · Appler 'Vanneyhill . · Asshipley Jesse Williams JUNET . D Bush W=Caples . ista Sow Mill O Bucking Stoner Stoner BurgessNelson . J Wagner Welson Croat. Jacob Caples Burgess Nessoan Mrs S Caples Ja Frick · Mrs Byers D. Horn · PeterSipes · Geo Jacobs · Frizzell Rich & Frizzel O · Geo Sipes 1 Geo Jacobs 15 Wash'Smith B J Sellman J Daris . CARR-713 E Buckingham J'H Convay J Amos Shaeffer Farm . Elisha Prugh GeoSmith . Geo Smith 222 Cranberry Road Martenet Map, 1862 Wesley Willis Rob Caples David Bloam Tho Barnes Geo Jacobs













CARR-113 Amos Shaeffer Farm 222 Cranberry Rd. Carroll County, Maryland Data: Oct. 1994 Photo: Kenneth M. Short Neg. Loc.: Maryland Historical Trust General view from South 1/3



CARR-713 Amos Schaeffer farm 222 Cranberry Road Carroll County, Maryland Photo: Kenneth m. Short Date: Oct. 1994 Neg. Loc.: Maryland Historical Trust House-Southwest and southeast elevs. $\frac{2}{3}$



(ARR-713 Amos Shaeffer Farm 222 Cranberry Rd. Carroll County, Maryland Photo: Kenneth M. Short Date: Oct. 1994 Neg. Loc.: Maryland Historical Trust General view from north 3/3



- 1. CARR-713 222 CRANBERRY ROAD
- 2. Carroll County, Maryland
- 3. Joe Getty
- 4. August 1983
- 5. Md. Historical Trust, Annapolis, Md.
- South and east elevations (camera facing northwest)
- 7. 1/1